

Code: PFS3110-8ET-96

## INDUSTRIAL POE SWITCH **PFS3110-8ET-96** 10-PORT +SFP DAHUA

The PFS3110-8ET-96 Switch is an industrial type device enabling fluent network transmission at rates 10 / 100 / 1000 Mbps. Devices of this type can be used in installations realized in industrial facilities in harsh environmental conditions like high or low temperature.

Attention! The SFP port requires the SFP module, which is available in our offer.



Standards:	IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3z, IEEE 802.3x, IEEE 802.3af, IEEE 802.3at
Management via WWW / console:	—
LAN ports:	<ul style="list-style-type: none"> <li>• 6 x RJ45 10/100 Base-T + PoE (802.3af/at)</li> <li>• 2 x RJ45 10/100 Base-T + Hi-PoE</li> <li>• 1 x Uplink - RJ45 10/100/1000 Base-T</li> <li>• 1 x Uplink - port SFP 1000 Base-X</li> </ul>
Transmission speed:	<ul style="list-style-type: none"> <li>• 10 / 100 Mbps - 8 LAN &amp; PoE ports</li> <li>• 10 / 100 / 1000 Mbps - 1 Port Uplink</li> <li>• 1000 Mbps - 1 port SFP</li> </ul>
Maximal output power:	<ul style="list-style-type: none"> <li>• 60 W / port Hi-PoE : 1 ... 2</li> <li>• 30 W / port PoE : 3 ... 8</li> </ul>
Maximal total power:	96 W
MAC addresses table:	8k
Main features:	<ul style="list-style-type: none"> <li>• Data Flow Control</li> <li>• protection against lightning discharges and voltage differences and strokes between devices</li> <li>• Industrial wide temperature design.</li> <li>• PoE (802.3af), PoE (802.3at), Hi-PoE</li> </ul>



# DATA SHEET

LED diodes:	Power, Link/Act
Power supply:	48 ... 57 V DC / 1.812 A (power adapter included)
Housing type:	DIN
Certificates:	CE
Operation temp:	-30 °C ... 65 °C
Weight:	0.58 kg
Dimensions:	150 x 100 x 42 mm
Manufacturer / Brand:	DAHUA
Guarantee:	<b>3 years</b>

