Synology*

DiskStation

Private Cloud Hub for Essential File and Media Management

The Synology DiskStation DS423 offers four bays of storage and everything you need to consolidate, organize, and secure your data. Leverage built-in solutions in Synology DiskStation Manager (DSM) to sync and access files across multiple devices, create a digital photo hub for work or leisure, or secure your premises with intelligent video surveillance tools.



Highlights

Centralized Data Storage

Consolidate up to 72 TB of data,¹ and enjoy 100% data ownership and multi-platform access from anywhere

Secure Sharing and Syncing

Safely access and share files and media from anywhere, and keep friends, partners, or collaborators on the same page

Simple Data Protection

Back up your media and documents to multiple destinations, and leverage snapshots to protect against malware

Versatile Surveillance

Protect your home or business with intuitive monitoring, archiving, and analysis tools for up to 30 IP cameras

Spacious Storage Server for Data Availability

Organize data scattered across devices. Your Synology NAS can serve as a go-to platform to securely and conveniently store any type of data with comprehensive and intuitive <u>access and management tools</u>.

- Browse and manage your files and media from any browser with <u>Synology</u> <u>Drive</u>, or access data through your default file browser using common network protocols
- Enable QuickConnect to access your NAS directly from the anywhere without configuring complex port forwarding rules
- Keep your shots and clips organized using smart sorting functions in <u>Synology Photos</u>
- Deploy your Synology NAS as edge storage and fit it easily into the existing infrastructure thanks to Windows AD and LDAP integration

Collaboration and Synchronization Platform

Easily share documents and digital memories with family and friends, and boost productivity while working in a team or with your clients.

- Build a private data cloud for easy file management and sharing across all platforms, and keep data in sync between two or more Synology systems with <u>Synology Drive</u>
- Maintain a reduced local footprint by streaming data on demand from a central data repository through the cloud with <u>Hybrid Share</u>²
- Synchronize data to and from popular cloud storage platforms with <u>Synology</u>
 <u>Cloud Sync</u>
- Share media with family, friends, or collaborators through the privacyfocused sharing options in <u>Synology Photos</u>

Flexible Data Protection Options

Synology DSM comes with a host of backup and data protection solutions available at no extra cost.

 Leverage <u>Synology Drive</u> to protect data from ransomware attacks or accidental deletion with real-time or scheduled backup of your PC folders

- Safeguard photos and videos taken on mobile devices by automatically creating remote copies with <u>Synology Drive</u> or <u>Synology Photos</u>
- Efficiently back up your entire Synology NAS or select folders to multiple destinations using <u>Hyper Backup</u>
- Store backups off-site on <u>C2 Storage</u>,² a dedicated and secure cloud destination powered by Synology C2
- Take NAS protection to the next level with <u>Snapshot Replication</u> by creating point-in-time copies of shared folders that can be replicated to other Synology systems and rapidly restored

Versatile and Private Video Surveillance

<u>Synology Surveillance Station</u> transforms your Synology system into a powerful network video recorder (NVR).

- 8,300+ supported camera models
- ONVIF support for a broader selection of cameras
- · Private, subscription-free storage of recordings
- Access through web browsers, desktop clients, or mobile apps
- Event-based rules to trigger specific actions
- Email, SMS, and push notification options
- Dual recording to the cloud with <u>C2 Surveillance</u> for online access and convenient sharing³

Hardware Overview



| 1 | Status Indicator | 2 | LAN Indicators | 3 | Power Button | 4 | Drive Status Indicators |
|---|------------------|----|--------------------------|---|--------------|---|-------------------------|
| 5 | Fans | 6 | Power Port | 7 | LAN Ports | 8 | USB 3.2 Gen 1 Ports |
| 9 | Reset Button | 10 | Kensington Security Slot | | | | |

Technical Specifications

Hardware

| CPU | Realtek RTD1619B |
|----------------------------|---|
| Memory | 2 GB DDR4 |
| Compatible drive types | 4 × 3.5" or 2.5" SATA HDD/SSD (drives not included) Synology only guarantees full functionality, reliability, and performance for Synology drives listed on the compatibility list. The use of non-validated components may limit certain functionality and result in data loss and system instability⁴ |
| Hot swappable drives | Yes |
| External ports | 2 x USB 3.2 Gen 1 ports |
| Form factor | Desktop |
| Size (HxWxD) | 184 × 168 × 230 mm |
| Weight | 2.21 kg |
| LAN ports | 2 × 1GbE RJ-45 |
| Wake on LAN/WAN | Yes |
| Scheduled power on/off | Yes |
| System fans | 1 x (80 × 80 mm) |
| AC input power voltage | 100 V to 240 V AC |
| Power frequency | 50/60 Hz, single phase |
| Operating environment | Temperature: 0°C to 40°C (32°F to 104°F) Relative humidity: 8% to 80% RH |
| Storage environment | Temperature: -20°C to 60°C (-5°F to 140°F) Relative humidity: 8% to 80% RH |
| Maximum operating altitude | 5,000 m (16,400 ft) |

General DSM Specifications

| Networking protocols | SMB, AFP, NFS, FTP, WebDAV, CalDAV, iSCSI, Telnet, SSH, SNMP, and VPN (PPTP, OpenVPN™, L2TP) |
|---------------------------|---|
| File systems | Internal: Btrfs, ext4 External: Btrfs, ext4, ext3, FAT32, NTFS, HFS+, exFAT |
| Supported RAID types | Synology Hybrid RAID (SHR), Basic, JBOD, RAID 0, RAID 1, RAID 5, RAID 6, RAID 10 |
| Storage management | Max. single volume size: 108 TB Max. number of system snapshots: 4,096⁵ Max. number of internal volumes: 64 |
| File sharing capabilities | Max. number of local user accounts: 1,024 Max. number of local groups: 256 Max. number of shared folders: 256 Max. number of concurrent SMB/NFS/AFP/FTP connections: 200 |
| Privileges | Windows® Access Control List (ACL) and application privileges |
| Directory services | Connects with Windows® AD/LDAP servers enabling domain users to login via SMB/NFS/ AFP/FTP/File Station using their existing credentials |
| Security | Firewall, shared folder encryption, SMB encryption, FTP over SSL/TLS, SFTP, rsync over SSH, login auto block, Let's Encrypt support, and HTTPS (customizable cipher suite) |
| Supported browsers | Google Chrome®, Firefox®, Microsoft Edge®, Safari® 14 and later, and Safari (iOS 14.0 and later) on iPad, Chrome (Android™ 11.0 and later) on tablets |
| Interface languages | English, Deutsch, Français, Italiano, Español, Dansk, Norsk, Svensk, Nederlands, Русский, Polski, Magyar, Português do Brasil, Português Europeu, Türkçe, Český, איסערת, 日本語, 한국어, 繁體中文, 简体中文 |

Packages and Applications

File Server & Synchronization

Drive File Station Hybrid Share³ Presto File Server⁶ Cloud Sync Universal Search Migration Assistant Multimedia

Synology Photos Video Station Audio Station iTunes® Server SAN Storage

SAN Manager

Surveillance

Surveillance Station⁷

Data Protection & Backup Solutions

Hyper Backup Snapshot Replication

Office Productivity

Synology Office Synology Calendar Note Station

Management & Administration

Synology Directory Server Central Management System VPN Server Active Insight⁸ Storage Analyzer Antivirus Essential Web Station DNS Server RADIUS Server Log Center

Others

iOS/Android[™] applications



Scan the QR code to download the detailed Product Specification sheet https://sv.to/ds423dspss

Synology[°]

Environment and Packaging

| Environmental safety | RoHS compliant | |
|-----------------------------------|--|--|
| | • 1 x DS423 main unit | |
| | 1 x Quick Installation Guide | |
| De aliana ao stanta | • 1 x Accessory pack | |
| Package contents | 1 x AC power cord | |
| | 1 x AC power adapter | |
| | • 2 x RJ-45 LAN cables | |
| | • 2.5" SATA SSD: SAT5200 Series | |
| Ontional accessories? | • 3.5" SATA HDD: HAT5300 Series | |
| Optional accessories [®] | Surveillance Device License Pack⁷ | |
| | Extended Warranty: Extended Warranty Plus¹⁰ | |
| Warranty | 2 years ^{10,11} | |

Note: Specifications are subject to change without notice. Please refer to the model's specifications page for the most up to date information.

- Raw capacity. Total storage capacity may vary depending on hard drives used and RAID configuration.
- C2 Storage for Hyper Backup and Hybrid Share requires purchase of an eligible <u>annual or monthly subscription</u>. A free trial is available for each newly registered device.
- C2 Surveillance requires purchase of an eligible <u>annual subscription</u>.
 Each additional channel requires a separate subscription. A free trial is available.
- 4. Check our <u>compatibility list</u> for supported drives.
- System snapshots include snapshots taken by SAN Manager and Snapshot Replication.
- Presto File Server license can be purchased separately through the application.

- Surveillance Station includes two free licenses. Connecting more cameras and devices requires additional licenses. <u>Learn more</u>
- Certain advanced features require purchase of an eligible <u>annual</u> <u>subscription</u>. A free trial is available.
- Please refer to our <u>compatibility list</u> for the latest optional accessories list.
- The warranty period starts from the date of purchase as stated on your purchase receipt. Visit <u>https://www.synology.ccm/ccmpany/legal/</u> warranty for more information.
- Up to 5 years of warranty are available as an additional bundle with Extended Warranty Plus, a 2-year extended warranty service add-on available in select regions. Check availability for <u>Extended Warranty</u> <u>Plus</u>.

SYNOLOGY INC.

© 2023, Synology Inc. All rights reserved. Synology, the Synology logo are trademarks or registered trademarks of Synology Inc. Other product and company names mentioned herein may be trademarks of their respective companies. Synology may make changes to specification and product descriptions at anytime, without notice.

DS423-2023-ENU-REV000

